


TABLE 11

Ex No. G	W	Purity (%)	HPLC Ret. time (min)	Mass (M + H)
323		91	2.5	549
324		86	2.56	549.31
325		88	2.49	549.3
326		91	2.52	549.31
327		89	2.53	563.42
328		92	2.58	577.38

16/090288


What is claimed is:

1. A compound of formula (I),



or a pharmaceutically-acceptable salt, hydrate, in which:

X is N;

R₁ is hydrogen or C₁₋₆alkyl;R₂ is C₁₋₆alkyl or C₂₋₆alkenyl, each optionally substituted with aryl;E is E₁ wherein

G is selected from G is C₂₋₄alkenyl, NHC(=O)R₁₀, SO₂R₁₇, or when y is 0, G may also be pyrrolidinyl, piperidinyl, pyrrolidinyl(lower alkyl), or piperidinyl(lower alkyl);

W is OH, —NH₂, NH(lower alkyl), N(lower alkyl)₂, azetidinyl, or imidazolyl, wherein the azetidinyl and imidazolyl are optionally substituted with lower alkyl; R₄ and R₇ are independently selected from hydrogen, alkyl, substituted alkyl, halogen, hydroxy, alkoxy, and keto;

R_{5a}, R_{5b}, R_{6a}, R_{6b}, R₈ and R₉ are independently hydrogen, halogen, cyano, alkyl, substituted alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclo, aryl, heteroaryl, —OR₂₅, —NR₂₅R₂₆, —SR₂₅, —S(O)_pR₂₆, —C(=O)R₂₅, —OC(=O)R₂₅, —CO₂R₂₅, —C(=O)NR₂₅R₂₆, —NR₂₅C(=O)R₂₆, —OC(=O)NR₂₅R₂₆, —NR₂₅COR₂₆, —NR₂₇C(=O)NR₂₅R₂₆ or